

KEILHAUER
Spec Sheet

Danforth




Danforth Specifications

Design by Tom Deacon
Made by Keilhauer

	4762 Mid back, syncro-tilt, casters, pneumatic height adjustment, upholstered arm cap, urethane sleeve	4765 Mid back, syncro-tilt, casters, pneumatic height adjustment, urethane arm cap, urethane sleeve	4772 High back, syncro-tilt, casters, pneumatic height adjustment, upholstered arm cap, urethane sleeve	4775 High back, syncro-tilt, casters, pneumatic height adjustment, urethane arm cap, urethane sleeve
Seat				
Seat Height	19.25 - 22.25"	19.25 - 22.25"	19.25 - 22.25"	19.25 - 22.25"
Seat Width	21.25"	21.25"	21.25"	21.25"
Seat Depth	20"	20"	20"	20"
Seat Pan Angle	3 - 14.75°	3 - 14.75°	3 - 14.75°	3 - 14.75°
Back				
Backrest Height	18.5"	18.5"	26.75"	26.75"
Backrest Width	19.75"	19.75"	19.75"	19.75"
Backrest Angle	97.5 - 114°	97.5 - 114°	97.5 - 114°	97.5 - 114°
Backrest to Seat Angle	94.5 - 99.3°	94.5 - 99.3°	94.5 - 99.3°	94.5 - 99.3°
Arm				
Arm Height	9"	8.5"	9"	8.5"
Armrest Length	11.5"	11.5"	11.5"	11.5"
Armrest Width	3"	3"	3"	3"
Armrest Set Back	6.25"	6.25"	6.25"	6.25"
Width Between Armrests	21"	21"	21"	21"
Arm Height from Floor	27.5 - 30.5"	27.5 - 30.5"	27.5 - 30.5"	27.5 - 30.5"

Model 4762

A. Overall Height	37.5 - 40.5"
B. Overall Width	27.25"
C. Overall Depth	27.25"




Model 4765

A. Overall Height	37.5 - 40.5"
B. Overall Width	27.25"
C. Overall Depth	27.25"

Model 4772

A. Overall Height	45.75 - 48.75"
B. Overall Width	27.25"
C. Overall Depth	27.25"



Model 4775

A. Overall Height	45.75 - 48.75"
B. Overall Width	27.25"
C. Overall Depth	27.25"

Construction Material

Seat/ Back Frame	Ø7/8" AISI 1018 CRS Tube (14 Gauge), 1" x 1/4" AISI 1018 CRS plate, 7/8" x 1/4" AISI 1018 CRS plate, 1-3/8" x 1/4" AISI 1018 CRS plate
Mechanism	Cast aluminum, formed steel (universal 17/4 taper, tilt tension adjustment, 5 position tilt lock)
Foam	High density CFC free polyurethane foam (meets CAL-117 standards)
Base	30% glass filled nylon or solidwood cap, Ø2-1/2" AISI 1018 HRPO Steel Tube (11 Gauge), Ø2-1/8" AISI 1018 HRPO Steel Tube (11 Gauge), .312" thick AISI 1018 HRPO steel plate
Arms	5/16" thick AISI 1018 CRS plate, AISI 1008 CRS plate (11 gauge), high density CFC free polyurethane foam (meets CAL-117 standards), or textured isocyanate
Arm Caps	Solidwood or urethane
Casters	30% glass filled nylon

KEILHAUER


Danforth Specifications

Design by Tom Deacon
Made by Keilhauer

	4862 Mid back, syncro-tilt, casters, pneumatic height adjustment, upholstered arm cap, wood sleeve	4865 Mid back, syncro-tilt, casters, pneumatic height adjustment, urethane arm cap, wood sleeve	4872 High back, syncro-tilt, casters, pneumatic height adjustment, upholstered arm cap, wood sleeve	4875 High back, syncro-tilt, casters, pneumatic height adjustment, urethane arm cap, wood sleeve
Seat				
Seat Height	19.25 - 22.25"	19.25 - 22.25"	19.25 - 22.25"	19.25 - 22.25"
Seat Width	21.25"	21.25"	21.25"	21.25"
Seat Depth	20"	20"	20"	20"
Seat Pan Angle	3 - 14.75°	3 - 14.75°	3 - 14.75°	3 - 14.75°
Back				
Backrest Height	18.5"	18.5"	26.75"	26.75"
Backrest Width	19.75"	19.75"	19.75"	19.75"
Backrest Angle	97.5 - 114°	97.5 - 114°	97.5 - 114°	97.5 - 114°
Backrest to Seat Angle	94.5 - 99.3°	94.5 - 99.3°	94.5 - 99.3°	94.5 - 99.3°
Arm				
Arm Height	9"	8.5"	9"	8.5"
Armrest Length	11.5"	11.5"	11.5"	11.5"
Armrest Width	3"	3"	3"	3"
Armrest Set Back	6.25"	6.25"	6.25"	6.25"
Width Between Armrests	21"	21"	21"	21"
Arm Height from Floor	27.5 - 30.5"	27.5 - 30.5"	27.5 - 30.5"	27.5 - 30.5"

Model 4862

A. Overall Height	37.5 - 40.5"
B. Overall Width	27.25"
C. Overall Depth	27.25"




Model 4865

A. Overall Height	37.5 - 40.5"
B. Overall Width	27.25"
C. Overall Depth	27.25"

Model 4872

A. Overall Height	45.75 - 48.75"
B. Overall Width	27.25"
C. Overall Depth	27.25"



Model 4875

A. Overall Height	45.75 - 48.75"
B. Overall Width	27.25"
C. Overall Depth	27.25"

Construction Material

Seat/ Back Frame	Ø7/8" AISI 1018 CRS Tube (14 Gauge), 1" x 1/4" AISI 1018 CRS plate, 7/8" x 1/4" AISI 1018 CRS plate, 1-3/8" x 1/4" AISI 1018 CRS plate
Mechanism	Cast aluminum, formed steel (universal 17/4 taper, tilt tension adjustment, 5 position tilt lock)
Foam	High density CFC free polyurethane foam (meets CAL-117 standards)
Base	30% glass filled nylon or solidwood cap, Ø2-1/2" AISI 1018 HRPO Steel Tube (11 Gauge), Ø2-1/8" AISI 1018 HRPO Steel Tube (11 Gauge), .312" thick AISI 1018 HRPO steel plate
Arms	5/16" thick AISI 1018 CRS plate, AISI 1008 CRS plate (11 gauge), high density CFC free polyurethane foam (meets CAL-117 standards), or textured isocyanate
Arm Caps	Solidwood or urethane
Casters	30% glass filled nylon

KEILHAUER

Danforth Specifications

Design by Tom Deacon
Made by Keilhauer

Metal Base Finishes



PA00 – Polished
Aluminum



B01 – Black


Wood Arm & Base Finishes



W21 - Natural
Maple




W22 - Natural
Cherry



W23 - Medium
Cherry




W24 - Dark
Cherry



W25 - Walnut



W26 - Mahogany



W27 - Solid Black



W28 - Black Stain



W30 - Honey